


0715-05

IFW



PATENT
Atty Docket No. KLAC0016

I CERTIFY THAT ON JULY 13, 2005, WHICH IS THE DATE I AM SIGNING THIS CERTIFICATE, THIS CORRESPONDENCE AND IDENTIFIED ENCLOSURES ARE BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE, EXPRESS MAILING LABEL No. ED 667 879 724 US, WITH SUFFICIENT POSTAGE UNDER 37 CFR 1.10 AND ADDRESSED TO: MAIL STOP ISSUE FEE, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450.


STEVEN W. SMYRSKI

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

DIETER MUELLER; ET AL.

Title: REDUCED COHERENCE SYMMETRIC
GRAZING INCIDENCE DIFFERENTIAL
INTERFEROMETER

Serial No.: 09/543,604

Filing Date: April 7, 2000

Group Art Unit: 2877

Examiner: Hwa S. Lee

TRANSMITTAL OF CORRECTED FORMAL DRAWINGS

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicants appreciate the assistance of Draftsman Joshua D. Chase in addressing the present matter, specifically the conversation between Mr. Chase and Applicants' attorney discussing how to provide corrected formal drawings to the Office for the present case.


In reviewing the present file, Applicants' attorney noticed that certain incorrect formal drawings were filed on May 17, 2005 in response to the Notice of Allowance dated May 5, 2005. Specifically, certain of FIGs. 1A-1E were either missing or improperly numbered.

Therefore, in further response to the Notice of Allowance, Applicants enclose herewith are the **corrected** formal drawings (9 sheets – Figures 1A through 8) in the above-entitled case.¹

Applicant believes that no fees are required with the present response beyond those included herewith. Should it be determined for any reason an insufficient fee has been paid, please charge any insufficiency to ensure consideration and allowance of this matter to Deposit Account 502026.

Respectfully submitted,

Date: July 13, 2005


Steven W. Smyrski, Esq.
Registration No. 38,312

SMYRSKI LAW GROUP, A P.C.
3310 Airport Avenue, SW
Santa Monica, California 90405-6118
Phone: 310.397.9118
Fax: 310.397.9158
KLAC0016 Transmittal of Formal Drawings

¹ Applicants wish to replace all of the drawings/sheets provided on May 17, 2005 with the enclosed 9 sheets. Applicants have therefore not labeled these as REPLACEMENT SHEET(S), as, for example, former sheet 7 is now shown in new sheet 9, and new sheet 7 does not strictly "replace" old sheet 7. Should this be improper, and the indication REPLACEMENT SHEET be required on any or all of the drawings enclosed, Applicants request that the Office promptly notify Applicants' attorney so that the drawings may be provided in an appropriate format.